

VU Research Portal

Search for a Strange Phase in Beautiful Oscillations

du Pree, T.

2010

document version

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

citation for published version (APA)

du Pree, T. (2010). *Search for a Strange Phase in Beautiful Oscillations*. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

E-mail address:

vuresearchportal.ub@vu.nl

Contents

1	Introduction	1
2	Mixing and CP violation in the B_s system	5
2.1	CP violation through interference	6
2.2	CP violation in weak interactions	7
2.3	Unitarity Triangles	8
2.3.1	Wolfenstein parameterization	9
2.3.2	Constraints on the CKM matrix from measurements	10
2.4	B -physics	12
2.4.1	$B\bar{B}$ mixing	13
2.4.2	CP Violation in B^0 decays	15
2.5	Interference between mixing and decay to a CP-eigenstate	17
2.6	CP violation in the interference of mixing and $b \rightarrow c\bar{c}s$ transitions.	18
2.6.1	New Physics contributions	20
2.6.2	Penguin contributions	22
2.7	Time dependent angular distribution	23
2.7.1	Single transversity angle analysis	26
2.7.2	S-wave contribution	27
2.8	Control channel: $B_d^0 \rightarrow J/\psi K^*(K^+\pi^-)$	29
2.9	Analysis strategy	30
3	The LHCb experiment	33
3.1	The Large Hadron Collider	33
3.2	The LHCb detector	35
3.3	Tracking system	37
3.3.1	Vertex Locator	37
3.3.2	Magnet	39
3.3.3	Inner Tracker	39
3.3.4	Outer Tracker	40
3.3.5	Tracker Turicensis	41
3.3.6	Tracking performance	42
3.4	Particle identification	42
3.4.1	RICH system	43
3.4.2	Muon system	43
3.4.3	Calorimeter system	45

3.5	Trigger	46
3.5.1	L0 trigger	46
3.5.2	High level trigger	47
4	Selection	51
4.1	Introduction to $B_s^0 \rightarrow J/\psi\phi$ selections	51
4.2	Introduction to detached and prescaled selections	52
4.3	Optimization procedure	53
4.3.1	Data samples	55
4.3.2	Selection variables	56
4.3.3	Optimization steps	57
4.4	Selection optimization	60
4.4.1	First iteration	60
4.4.2	FOM after first iteration	61
4.4.3	Optimal selection	64
4.5	Optimization of the lifetime cut and the prescale fraction	65
4.5.1	Effect of the lifetime cut on $\sigma(\phi_s)$	67
4.5.2	Effect of the prescale fraction on $\sigma(\phi_s)$	68
4.5.3	Effect of τ_0 and f_{pre} on the event rate and $\sigma(\phi_s)$	69
4.6	Efficiencies, yields, purities, and rates of the selections	70
4.6.1	Signal efficiency per cut	70
4.6.2	Annual yield, purity and rate	70
4.6.3	Trigger efficiencies	72
4.6.4	Efficiencies as function of the angular and proper time observables	76
4.7	Operational guidelines	78
4.8	Performance improvement	80
4.9	Conclusions	81
5	Fit methods	83
5.1	Introduction to angular efficiency corrections	84
5.2	Formalism of the angular efficiency weights	85
5.2.1	Likelihood maximization for $B \rightarrow J/\psi V$	85
5.2.2	Inclusion of efficiencies	86
5.2.3	Normalization weights	87
5.2.4	Inclusion of tagging flavour	88
5.2.5	Special case: factorization of efficiencies	88
5.2.6	Summary of the method	89
5.3	Validation	90
5.4	Angular resolutions	92
5.5	Apparent efficiencies	93
5.5.1	Apparent angular efficiencies	94
5.5.2	Apparent proper time efficiencies	96
5.5.3	Solutions to apparent efficiencies	98
5.6	Fit to prescaled and detached samples	100
5.7	Inclusion of background in the angular distribution	102

5.7.1	Three-dimensional efficiency decomposed in polynomials	103
5.7.2	Background PDF decomposed in polynomials	106
5.8	Determination of the mistag fraction	106
5.9	Parameterization of the strong phases	109
5.9.1	Examples of the problem	110
5.9.2	An alternative parameterization of the strong phases	111
5.9.3	Retrieval of the strong phases from the alternative parameterization .	113
5.10	Conclusions	115
6	Sensitivity study	117
6.1	The total PDF	118
6.1.1	The signal PDF	118
6.1.2	The background PDF	119
6.2	Resolutions	119
6.2.1	Proper time resolution	119
6.2.2	Angular resolutions	123
6.2.3	Signal mass distributions	125
6.3	Efficiency functions	125
6.3.1	Efficiency as function of the proper time	126
6.3.2	Efficiency as function of the angular observables	128
6.4	Tagging performance	135
6.5	Background	137
6.5.1	Proper time distribution of background events	138
6.5.2	Angular distribution of the background events	139
6.5.3	Tagging properties of the background	139
6.5.4	Invariant mass distribution of the background	140
6.6	Toy experiments for sensitivity study	141
6.6.1	Settings of the toy experiments	141
6.6.2	Example of a toy experiment	143
6.6.3	Correlations between signal parameters	144
6.6.4	Expectations of the sensitivity	145
A	The angular distribution	149
A.1	Derivation of the angular distribution	149
A.2	Transformations between different transversity conventions	153
B	Specific aspects of event generation for $B_s \rightarrow V_1 V_2$ decays	155
B.1	Functionality	156
B.2	Usage of the EvtGen decay file	158
C	Outer Tracker Quality Assurance	159
C.1	Validating the Modules with Radioactive Sources	159
C.2	^{55}Fe pulse	160
C.3	Gas tightness and gas propagation	161
C.4	Tests of FrontEnd-boxes	164

Contents

D Implementation of the fit methods	167
D.1 The signal PDF	168
D.2 PDF for angular background	171
D.3 Three-dimensional angular efficiency	171
Bibliography	173
Summary, conclusions, and outlook	177
Populaire samenvatting	183
Acknowledgements	189